C-Magic Product Application Instructions. Last updated Thursday, February 20, 2014 Page 1





APPLICATION INSTRUCTIONS

PRODUCT

INSTRUCTIONS

World Class™ Wax

- 1. Determine if your auto will require claying prior to beginning your surface treatment. Claying is often overused and should not be utilized UNLESS other removal efforts fail!
- 2. Always strip the wax base present to allow our bonding agents to adhere to the paint surface. Several methods are available to perform this task, however, most frequently a few drops of any common household dish detergent will accomplish this without harm to your paints surface.
- 3. Rinse thoroughly!
- 4. Proceed by applying very SPARINGLY C-Magic[™] Wax * utilizing straight wiping motions vertically for the sides and horizontally for the top surfaces. Remember to use

- very little in this coating process.
- 5. Coat the entire vehicle in the above wax application process BEFORE HAZE REMOVAL.
- 6. Once waxing is complete start on the initial panel waxed and remove utilizing C-Magic[™] DETAIL Wax. Set the mister on fine spray while spraying one panel at a time and remove haze with a microfiber towel.

If you prefer to further enhance for the ultimate beautiful warm, deep shine on your automobile, simply repeat the application of your C-Magic™ Wax and C-Magic™ Detail Wax, AS MANY TIMES AS YOU WANT - WITHOUT WAITING!

*Alternate application can be accomplished using a random orbital buffer with a suitable final polish pad.

Remember: C-MagicTM does NOT contain abrasion agents, cutting agents or cleaners. Be sure to ascertain your cars surface meets acceptable pre wax conditions.



World Class™ Detail Wax

AFTER WAXING: Starting on the first panel waxed, spray over the haze and remove with a microfiber towel, turning frequently. Continue around the vehicle until finished.

- 1. Application can be accomplished on either a cool or moderately warm surface without concern for dissipation or pre-mature hardening.
- 2. The results come from the Detail Wax mist being disseminated into the polish/wax surface. Buff thoroughly but without haste and you will experience the difference from other detailers

BETWEEN WASHINGS: Apply similarly to the initial coat and move completely around the automobile allowing the bonding agents and clarifiers to do their work.

QUICK DETAILING: C-Magic[™] Detail Wax can safely be used without washing just prior to shows.



World Class™ Wash

- 1. Wash in shade and start with a cool surface, giving your vehicle a thorough rinse to remove any road grime.
- 2. Be sure to inspect after rinsing and spot clean any trouble spots before proceeding to wash the remainder of your vehicle. Remember to change your water and thoroughly wash your mitt or sponge if you've encountered trouble spots or excessive bugs. Keep this mitt or sponge dedicated to your vehicles body panels in future washings.
- 3. Wash top down and rinse often throughout the wash cycle. Low pressure and wide spray pattern help to achieve these results.

Move to the drying sequence and utilize a hand held leaf or other blower to chase the water from crevices and body panels. The use of a blower prevents additional un-needed scuffing of the surface with drying towels that could contain trapped foreign matter. Occasionally, there can be airborne debris that goes un-noticed and is ground in with hand drying. Blowers generally help alleviate these concerns.



World Class™ Tire Finish

Spray apply to a damp sponge or, as we like to do it, apply to a DEDICATED inexpensive hand mitt and spread evenly to your tires surface.

Remember that this is **NOT** a high gloss appearance product. **Repeat applications will not increase shine.**

1. Allow to stand for 3-5 minutes before driving. Tire Finish will **not** sling off!

Use on various underhood hoses, moldings and other exterior and **interior trim areas** to return the items to its original appearance.



World Class™ Leather

- 1. Apply whenever your automobiles interior is very warm. C-Magic LEATHER is best applied on warm days whenever your windows have been closed to increase the interior temperature. This will enhance your leathers ability to accept the conditioning agents.
- 2. Wipe clean all surfaces with a soft absorbent cloth. The residue which is on the surface will have a tendency to

C-Magic Product Application Instructions. Last updated Thursday, February 20, 2014 Page 4

- release when exposed to the hot interior temperatures. Use a slight scrubbing action to accomplish.
- 3. Apply leather treatment with your bare hands and work gently into all the seam areas and afterwards, the larger surfaces. Care should be taken to insure complete coverage in adequate amounts.
- 4. Allow to dry or for 20-30 minutes.
- 5. After drying there should be residue from the conditioners remaining on the surface. If none is present, reapply to insure that the leather has absorbed a sufficient amount of conditioners and is not partially treated. This step is often overlooked on seriously deficient interiors and the result is insufficiently treated leather!
- 6. Allow to dry again and then remove excess with a 100% cotton cloth.

Buff to a natural shine and remember to repeat these steps often to insure your leathers conditioning.



Interior and Underhood Vinyl, Plastic and Rubber Protectant

- 1. Apply with applicator over all interior vinyl (including dash), plastic interior trim and underhood plastics, hoses, shrouds. Also use on window to reduce sun fade.
- 2. Spray a slight mist onto areas that cannot be reached allow to dry evenly for an original factory new appearance. paints surface.

Shine can be reduced by simply adding water to your satisfaction.



Metal Polish

1. SHAKE WELL – PRODUCT SEPERATES ON SHELF

- 2. Apply by hand using a soft cloth in a circular motion.
- 3. Buff with a separate soft cloth until satisfactory sheen appears.

This product may also be applied with a high speed polisher using a medium to high pressure – then lighten pressure for a maximum gloss

C-Magic Product Application Instructions. Last updated Thursday, February 20, 2014 Page 5

If you have any comments, suggestions, or questions, please contact us as we will be happy to assist you in any way we can. For your convenience we can be reached at contact@cmagicwax.com.

You may also call us at **1-866-760-CWAX**.

As always, it is a pleasure to serve your automobile wax and detail needs. Don't forget to "like" us on Facebook and share your experience with others.

www.CMagicWax.com